

# TWIN PREMIUM

## Double self-service vacuum cleaner



MANAGEMENT  
WITH PLC



ELECTRONIC  
COIN ACCEPTOR



CYCLONIC SUCTION  
SYSTEM



CYLINDRICAL  
CARTRIDGE FILTER





AUTOMATIC FILTER  
CLEANING




LOCKABLE  
COIN BOX



REMOTE  
MANAGEMENT



2 configuration for horizontal or vertical installation on the bay in relation to the car.



# TWIN PREMIUM

## Double self-service vacuum cleaner


### Standard features and equipment:

- ✓ Structure in Aisi 304 stainless steel
- ✓ ABS cover
- ✓ Full-length stainless steel door hinge
- ✓ Vandal-proof 3-point lock
- ✓ 6m hose with rotating sleeve and suction nozzle
- ✓ Electronic management with PLC
- ✓ Electronic coin acceptor
- ✓ Lockable coin box
- ✓ LED operation lights
- ✓ Back-lit LED steel buttons
- ✓ Turbine 230 - 400 V
- ✓ Cyclonic cleaning system with cartridge filter and automatic filter cleaning with compressed air (requires compressed air connection)

### Optional (on request):

- ✓ Coin acceptor protection
- ✓ LED lighting kit
- ✓ Card reader (cashless)
- ✓ Turbine 3kW
- ✓ Remote management
- ✓ Boom
- ✓ Side mount for additional kit spray guns
- ✓ Stainless steel cover
- ✓ Safety bars
- ✓ Antifreeze kit
- ✓ Up to 2 optional service kit



- AR compressed air kit (requires external air)
- BA antibacterial Kit (requires external air)
- SA perfume/sanitizing Kit
- NG tire blackening kit
- VE glass cleaner kit
- LC dashboard polish kit



# TWIN PREMIUM


## Double self-service vacuum cleaner

### CYCLONIC SUCTION SYSTEM WITH AUTOMATIC FILTER CLEANING



#### The cyclonic suction system

When we clean the car, owing to the vacuum effect the dust is sucked in together with the air. Inside the bin, thanks to the cyclone cone, a vortex is created depositing the dirt in the recovery bin while the air comes out passing through the filter. Furthermore, the cyclone cone protects the filter by preventing it from coming into contact with sucked-in solids.




#### The automatic filter cleaning

At the end of each suction service, the tank automatically discharges the compressed air into the filter, effectively eliminating the fine dust attached to it. This operation has a dual purpose, it keeps the filter clean by ensuring a good filtration of the outgoing air and consistently guarantees powerful suction. The filter is maintenance-free, however a quick cleaning every 6 months is recommended.

# TWIN PREMIUM

## Double self-service vacuum cleaner



Vandal-proof 3-point lock (standard)



Lockable coin box (standard)




Full-length stainless steel door hinge (standard)




PLC (standard)



Cartridge filter (standard)



Antifreeze kit (on request)



Stainless steel cover (on request)



Card reader cashless (on request)



LED lighting kit (on request)



Optional services kit dispenser



Detergent containers for Optional kit



Boom (on request)

# TWIN PREMIUM

## Double self-service vacuum cleaner



### Remote management

The machine, connected to the internet, sends data to a cloud server where dedicated software processes it and makes it available to the operator, who can monitor in real time the machine's operating status, income, and a series of alerts.

In the same way, the operator can send commands to the machine to change the cost and duration of selections, start a specific service, and reset or shut down the machine.

### Model:

Code	Model	Volt	Power	m <sup>3</sup>	Tank	Weight
CW02230UM	Twin Premium 230	230	4,4 kW	2x320	2x35 L	225 Kg
CW02400UM	Twin Premium 400	400+N	4,4 kW	2x320	2x35 L	225 Kg

### Optional on request:

Coin acceptor protection cod. <b>PG</b>	Compressed air kit* cod. <b>AR</b>
LED lighting kit cod. <b>LE</b>	Perfume/sanitizing kit cod. <b>SA</b>
Stainless steel cover cod. <b>CIS</b>	Anibacterial kit* cod. <b>BA</b>
Boom cod. <b>BR</b>	Tire blackening kit cod. <b>NG</b>
Safety bars cod. <b>BSS</b>	Dashboard polish kit cod. <b>LC</b>
Card reader (cashless) cod. <b>PK</b>	Glass cleaner kit cod. <b>VE</b>
Turbine 3kW - 400V cod. <b>T3KW</b>	Antifreeze kit cod. <b>AN</b>
Remote management cod. <b>CLOUD</b>	Internal compressor cod. <b>CR</b>
	<b>ONLY FOR FILTER CLEANING</b>

\* Required external air

