

FIRST PREMIUM

Single self-service vacuum cleaner



MANAGEMENT WITH PLC



ELECTRONIC COIN ACCEPTOR



CYCLONIC SUCTION SYSTEM



CYLINDRICAL CARTRIDGE FILTER



AUTOMATIC FILTER CLEANING



LOCKABLE COIN BOX



REMOTE MANAGEMENT

Standard features and equipment:

- ✓ Structure in Aisi 304 stainless steel
- ✓ ABS cover
- ✓ Full-length stainless steel door hinge
- ✓ Vandal-proof 3-point lock
- ✓ 6m hose with rotating sleeve and suction nozzle
- ✓ Right or left pipe outlet
- ✓ Electronic management with PLC
- ✓ Electronic coin acceptor
- ✓ Lockable coin box
- ✓ LED operation lights
- ✓ Back-lit LED steel buttons
- ✓ Turbine 230 - 400 V
- ✓ Cyclonic cleaning system with cartridge filter and automatic filter cleaning with compressed air (requires compressed air connection)

Optional (on request):

- ✓ Coin acceptor protection
- ✓ LED lighting kit
- ✓ Card reader (cashless)
- ✓ Turbine 3kW
- ✓ Remote management
- ✓ Boom
- ✓ Side mount for additional kit spray guns
- ✓ Stainless steel cover
- ✓ Safety bars
- ✓ Antifreeze kit
- ✓ Up to 2 optional service kit



- AR compressed air kit (requires external air)
- BA antibacterial Kit (requires external air)
- SA perfume/sanitizing Kit
- NG tire blackening kit
- VE glass cleaner kit
- LC dashboard polish kit



FIRST PREMIUM


Single self-service vacuum cleaner

CYCLONIC SUCTION SYSTEM WITH AUTOMATIC FILTER CLEANING



The cyclonic suction system

When we clean the car, owing to the vacuum effect the dust is sucked in together with the air. Inside the bin, thanks to the cyclone cone, a vortex is created depositing the dirt in the recovery bin while the air comes out passing through the filter. Furthermore, the cyclone cone protects the filter by preventing it from coming into contact with sucked-in solids.




The automatic filter cleaning

At the end of each suction service, the tank automatically discharges the compressed air into the filter, effectively eliminating the fine dust attached to it. This operation has a dual purpose, it keeps the filter clean by ensuring a good filtration of the outgoing air and consistently guarantees powerful suction.

The filter is maintenance-free, however a quick cleaning every 6 months is recommended.

FIRST PREMIUM

Single self-service vacuum cleaner



Vandal-proof 3-point lock (standard)




Lockable coin box (standard)



PLC (standard)



Optional service kit dispensers



Full-length stainless steel door hinge (standard)



Side mount for additional kit spray guns (on request)



LED lighting kit (on request)



Detergent containers for Optional kit



Boom (on request)

FIRST PREMIUM

Single self-service vacuum cleaner



Remote management

The machine, connected to the internet, sends data to a cloud server where dedicated software processes it and makes it available to the operator, who can monitor in real time the machine's operating status, income, and a series of alerts.

In the same way, the operator can send commands to the machine to change the cost and duration of selections, start a specific service, and reset or shut down the machine.



Model:

Code	Model	Volt	Power	m ³	Tank	Weight
CW01230UM	First Premium 230	230	2,2 kW	320	35 L	125 Kg
CW01400UM	First Premium 400	400+N	2,2 kW	320	35 L	125 Kg

Optional on request:

Coin acceptor protection cod. PG
LED lighting kit cod. LE
Stainless steel cover cod. CIS
Boom cod. BR
Safety bars cod. BSS
Card reader (cashless) cod. PK
Remote management cod. CLOUD
Turbine 3kW - 400V cod. T3KW
Internal compressor cod. CR ONLY FOR FILTER CLEANING

Compressed air kit* cod. AR
Perfume/sanitizing kit cod. SA
Anibacterial kit* cod. BA
Tire blackening kit cod. NG
Dashboard polish kit cod. LC
Glass cleaner kit cod. VE
Antifreeze kit cod. AN
Side support for guns cod. SLP



* Required external air